## MRI PATIENT SCREENING FORM

The information requested on this form is *very important*. Please answer *all* questions as thoroughly as possible. *The person completing this form is responsible for the accuracy of the requested information.* 

			ment Date:
Date of birth:	Date of Birth: Weight:		
YESNO	YES	NO	
CARDIAC PACEMAKER-NOTIFY TECH			Breast Tissue Expander
Implanted Cardiovascular Defibrillator			Penile Implant
Stent, Coil or Filter Location: Date:			Neuro-Stimulation System
Aneurysm Clips Location:			Bone Growth/Bone Fusion Stimulator
Surgical Staples, Clips or Metallic Sutures			Middle Ear/Cochlear Implant
Carotid Artery Clips Date:			Left Right Both
Internal electrodes or wires			Prosthesis of any kind? Location: Date:
Eyelid Spring or Wire			Foley catheter with temperature probe
Artificial Heart Valve Date:			Thermodilution Swan-Ganz catherter
Hearing Aid			Implanted Drug Infusion Pump
Intrauterine Device IUD			Medication Pump
Shunt: Spinal or Ventricular			Metal Fragments (Shrapnel or gunshot Wound)
Fractured bones or spine treated with:			Location: Date:
Metal Rods Date:			Magnetically Activated Implant or Device?
Metal Plates Date:			Allergic Reactions to IV Contrast?
Metal Pins/screws Date:			Have you been/are you now being treated for kidney problems?
Ph Graph Probe			Are you pregnant or trying to get pregnant?
Medication Patch			Are you Breast Feeding?
Metal in eyes			Tattoos/Permanent Makeup Location:
Left Right Both			Body Piercing Location:
Sickle Cell Anemia			Other Implants Location:
EKG leads or test done recently			Wig or Hairpiece
Silver Impregnated wound dressing			Ingested camera pill
No one should enter the MRI scan room with any of the following items:  • Watch • Metal Zippers • Firearms • Removable Dental Work • Hearing Aid • Keys/Coins • Pocket Knife  • Hairpins/Accessories • Pens/Pencils • Belt Buckle • Bra • Purse/Wallet/Money Clip/Credit Cards			
Signature of person completing form X Date:			
Form completed by:   Patient			Relative
MRI STAFF: Signature of person reviewing form: X			
Were plain films obtained?	Films cleared by:		
CONTRAST:AMOUNT:	L	.OT#_	EXPIRATION: